



**Product Approval**

**USER:** Michael Sloup, Resysta North America, Inc., Product Manufacturer

[Product Approval Menu](#) > [Manage Applications](#) > **Application Detail**

OFFICE OF THE  
SECRETARY

FL #	FL33449-R3
Application Type	Revision
Code Version	2023
Application Status	Approved
	*Approved by DBPR. Approvals by DBPR shall be reviewed and ratified by the POC and/or the Commission if necessary.
Comments	
Archived	<input type="checkbox"/>
Product Manufacturer	Resysta North America, Inc.
Address/Phone/Email	4035 Cheyenne Court Chino, CA 91710 (909) 393-2888 michael.sloup@resysta.com
Authorized Signature	Michael Sloup michael.sloup@resysta.com
Technical Representative	Michael Sloup
Address/Phone/Email	4035 Cheyenne Ct. Chino, CA 91710 (909) 393-2888 Michael.Sloup@resysta.com
Quality Assurance Representative	Michael Sloup
Address/Phone/Email	4035 Cheyenne Ct. Chino, CA 91710 (909) 393-2888 Michael.Sloup@resysta.com
Category	Panel Walls
Subcategory	Siding
Compliance Method	Evaluation Report from a Product Evaluation Entity
Evaluation Entity	Intertek Testing Services NA, Inc.
Quality Assurance Entity	Intertek Testing Services NA, Inc. - QA Entity
Quality Assurance Contract Expiration Date	12/31/2026
Validated By	Intertek Testing Services NA, Inc.
Certificate of Independence	
Referenced Standard and Year (of Standard)	
Equivalence of Product Standards Certified By	
Sections from the Code	1620 1625 1626 2615.2

Product Approval Method

Method 2 Option A

Date Submitted

02/27/2024

Date Validated

03/01/2024

Date Pending FBC Approval

Date Approved

03/07/2024

**Summary of Products**

FL #	Model, Number or Name	Description
33449.1	Resysta 4 Channel Facade	Rigid plastic composite sidings
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> No <b>Design Pressure:</b> +136/-136 <b>Other:</b> Refer to the design pressures, conditions of use, and supporting evidence shown on CCRR-0273		<b>Installation Instructions</b> <a href="#">FL33449_R3_II_Resysta_USA_Siding-Installation_Guide-07142021.pdf</a> Verified By: Intertek Testing Services NA, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL33449_R3_AE_2024-01-23_Resysta_CCRR-0273.pdf</a>
33449.2	Resysta 6" Siding	Rigid plastic composite sidings
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> No <b>Design Pressure:</b> +126/-126 <b>Other:</b> Refer to the design pressures, conditions of use, and supporting evidence shown on CCRR-0272		<b>Installation Instructions</b> <a href="#">FL33449_R3_II_Siding_Installation_Guide_Resysta_rev_09012020.pdf</a> Verified By: Intertek Testing Services NA, Inc. Created by Independent Third Party: <b>Evaluation Reports</b> <a href="#">FL33449_R3_AE_2024-01-23_Resysta_CCRR-0272.pdf</a>

[Back](#)

[Next](#)

[Contact Us](#) :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. [Copyright 2007-2013 State of Florida](#). :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. \*Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).

**Product Approval Accepts:**

